



# Northern Rivers Soil Health Card

# Coffee

A new technique for farmers to use in assessing the biological and physical properties of soil on their farms

'A basic soil audit is the first and sometimes the only monitoring tool used to assess changes in the soil. Unfortunately, the standard soil test done to determine nutrient levels (P, K, Ca, Mg, etc.) provides no information on soil biology and physical properties. Yet most of the farmer-recognized criteria for healthy soils include, or are created by, soil organisms and soil physical properties. A better appreciation of these biological and physical soil properties, and how they affect soil management and productivity, has resulted in the adoption of new soil health assessment techniques.'

ATTRA <http://attra.ncat.org>

SoilCare Inc thanks the farmers and sponsors whose concern for soil health provided this opportunity.



Australian Government  
Department of Agriculture,  
Fisheries and Forestry  
National Landcare Programme



## 1. INTRODUCTION

In 2002 the Northern Rivers Soil Health Card was developed as an extension activity of the Good Soil Project, a joint undertaking of Tuckombil Landcare Inc and NSW Agriculture in partnership with the Natural Heritage Trust.

The card was developed through a series of workshops held at Wollongbar TAFE. Primary producers representing a range of industries and one urban gardener attended the workshops. The process was facilitated by staff of Wollongbar TAFE and NSW Agriculture. The aim was to develop a practical tool for farmers in the Northern Rivers Region to monitor the health of their soils.

In 2007 coffee growers on the Alstonville Plateau and surrounding area adapted the soil health card for use on local coffee farms. The card was adapted in workshops held at Wollongbar TAFE and facilitated by staff of Wollongbar TAFE. This activity was sponsored and funded by the Northern Rivers Catchment Management Authority, the Natural Heritage Trust, SoilCare Inc, Richmond Landcare Inc, NSW Department of Primary Industries and TAFE Wollongbar.

Participants are acknowledged individually at the end of this document.

The 'Northern Rivers Soil Health Card – Coffee' lists 10 tests and provides space for you to rate your own soils after carrying out the tests. By testing regularly and keeping the cards, you can build up a record of your soil health, and understand the effect of management practices on soil health.

Regular testing will show improvements in response to more sustainable management such as additions of organic matter or introducing living ground covers in orchards, and allow early detection of developing soil problems. Test results can also be used as the basis for discussion about management changes with other landholders and with agricultural advisers.

This card is not intended to replace any soil testing that you may already carry out. It is another tool to help you understand your soils and their productivity. Maintaining soil health in the short term will undoubtedly increase the sustainability of farming into the future.

## 2. HOW TO USE YOUR SOIL HEALTH CARD

### 1. READ ALL THE INFORMATION FIRST.

This will help you go out into the paddock ready for action.

### 2. WHEN TO TEST

Best results will be obtained in autumn, two to ten days after good rain. To allow comparison of results from year to year, sample at the same time of year and under similar conditions. Avoid taking samples from overly wet soils or during drought, at times of extreme high or low temperatures and within a few weeks of fertiliser or lime applications.

### 3. PREPARE YOUR EQUIPMENT

You will need to make 3 simple pieces of test equipment, using the instructions on sheet 5, and gather together all the other items listed in the equipment list on sheet 4.

### 4. DECIDE WHERE YOU WILL TEST

We recommend you start with two sites, one to represent your 'best' soil and the other your 'worst' area. This will give you a good overview of how the tests relate to soil conditions on your land. You can then select other areas to get a broader understanding of the health of your soil.

### 5. DECIDE HOW MANY CARDS YOU NEED

At each site you select, you may want to use more than one card if

- there is more than one soil type within the selected area
- conditions under row crops are quite different in the inter-row (e.g. light, groundcover, traffic)
- for comparison perform one test in an undisturbed area outside but adjacent to the orchard

### 6. CARRY OUT THE TESTS

Each card lists the 10 tests and has space on the back for you to draw a sketch map of the site and show the test sites. Once you are familiar with the tests it will take you around 20 minutes to carry out one set of tests. Each card has room for you to record up to five sets of tests at the site. We recommend that you do the five sets of tests as they will provide a broad picture of the soil conditions at the selected site.

### 7. REVIEW YOUR TEST PROCEDURE

As you become more familiar with the test procedures and your soils, check whether the sites you have selected are the best sites for the information you need. Also review the way you do your tests to ensure consistency. Make notes as you go in the comments column to remind yourself next time.

#### **8. REVIEW YOUR RESULTS AND FOLLOW UP ON LOW SCORES**

Line up your test sheets for areas you wish to compare and look for similarities and differences among your scores for the 10 tests. Can you explain the differences? If you have neighbours also undertaking tests, get together with them and compare notes. Where you have low scores in the results, refer to sheet 11 that lists possible causes, obtain and read the literature linked to those tests in order to find out how you might improve your soil health. Discuss your results with an agricultural adviser or NSW Agriculture extension officer.

#### **9. MAKE SURE THE TEST DATE IS ON ALL YOUR SOIL HEALTH CARDS BEFORE YOU FILE THEM**

#### **10. MAKE A NOTE IN YOUR DIARY TO REPEAT THE TESTS AFTER 6 OR 12 MONTHS.**


### 3. TEST PREPARATIONS

#### EQUIPMENT

- home-made wire quadrant (see Sheet 5)
- home-made penetrometer (see Sheet 5)
- home-made infiltrometer tube (see Sheet 5)
- clipboard and pencil
- one soil health card results sheet for each set of tests planned
- spade
- heavy duty plastic sheet, 1m x 1m (approx.)
- soil pH kit (available from rural stores)
- 500 ml measure
- container of water for infiltration test – allow 1 litre of water per sample point if soil is dry or 500 ml if soil is moist
- watch with a second display

#### SAMPLING PROCEDURE

Suggested layout of sample points:




#### Notes

- Start from an identifiable point (e.g. paint on fence post).
- Stay within a single soil type for each card.
- Sketch a plan of the sample points on the back of the assessment sheet and mark any soil type.
- You can go down rows or to same area across rows.

## 4. HOME-MADE EQUIPMENT

### 1. WIRE QUADRANT (TESTS 1 AND 2)


A quadrant is simply a frame that shows a known area when placed on the ground. It is used to obtain an accurate measure of anything found there. You will use it to assess the amount of plant cover and then again to record the variety of animal life in the leaf litter.



Take a wire coat hanger and open it out to form a square (each side will be approximately 24 cm in length).

### 2. PENETROMETER (TEST 3)


A penetrometer is a device to test the compaction of the soil. While you can buy sophisticated penetrometers for hundreds of dollars, you can make your own inexpensive version. Take a 50 cm length of 3.15mm/10 gauge high tensile wire. Use 12 cm of the length to make a handle and on the remaining 25 cm make file marks every 2.5 cm from the end.



Metal rod (50 cm long, 3.15mm diameter) with file marks every 2.5 cm starting from end of rod.

### 3. INFILTROMETER RING (TEST 4)

An infiltrometer measures the rate at which a fixed volume of water soaks into the soil. You will need a 150 mm diameter PVC pipe cut to 11 cm length. Bevel the bottom end to make it easier to push into the soil.



## 5. THE SOIL TESTS

**WARNING: SOIL NATURALLY CONTAINS MANY MICROBES, SOME OF WHICH CAN CAUSE INFECTION OR DISEASE. WEAR GLOVES IF YOU HAVE INJURIES OR ABRASIONS ON YOUR HANDS.**

### 1. GROUND COVER

Area to sample for ground cover needs to be specific just inside the drip line or just outside the drip line. Place the wire quadrant (see home made equipment) at every fifth tree and estimate the proportion of ground cover within the quadrant. Examine surface litter or mulch to estimate its depth. On the test sheet note the grade which best matches your soil. Both ground plants and mulch contribute organic matter to the soil that will feed soil animals and microbes. Roots of ground plants also help maintain good soil structure.

### 2. DIVERSITY OF SOIL LIFE

Inside the wire quadrant examine the surface for soil animals and then carefully sift through the litter. Note how many different varieties of soil animals you see such as ants, beetles, spiders, slaters, millipedes, mites, litter dwelling worms, etc. It is the variety that is important, not the numbers – a column of ants counts as one variety.

### 3. PENETROMETER

Using ONLY moderate pressure, push your homemade penetrometer into the soil. Record the depth of penetration on the results sheet. If you hit a rock or tree root, choose another spot.

The easier it is to penetrate the soil the better the deep root development and water infiltration. Perform this test at the surface and at 20 cm depth. The 20 cm depth test is done at the bottom of the hole you will dig for test 5.

#### 4. INFILTROMETER

If the top 7 cm of soil is dry you must perform this test twice in each location and record the time of the second test for an accurate assessment. If the soil is saturated (field capacity) you will need to wait two days for drying before conducting the infiltrometer test.

- Clear the area of residue and trim the vegetation as close to the soil as possible without disturbing the soil.
- Push the infiltrometer ring 2 cm into the soil, avoiding cracks and other holes in the ground. The ring should be nearly level for accurate testing. Use your finger to gently firm the soil around the inside edge of the ring to prevent leakage of water here.
- Carefully pour 500 ml of water into the ring and note the time.
- Stop timing when the surface is just glistening.


#### 5. ROOT DEVELOPMENT

With your spade cut a 20 cm square hole to a depth of 20 cm. Lift the soil out, trying to keep it in one block, and place it on the plastic sheet. Examine the distribution of plant roots (crop and/or ground cover roots) and complete the card. The distribution of fine roots will show whether soil structure is restricting the plants' access to nutrients and water.

#### 6. SOIL STRUCTURE

Break a small handful of soil away from near the original surface of the block you have dug up and examine the size and arrangement of the soil aggregates or 'crumbs' (discrete clumps of soil particles). Under firm finger pressure soil should be friable, breaking into crumbs varying in size up to about 10 mm. There should also be evidence of root penetration throughout. Poor structure may be seen either as overly solid soil (hard crumbs, soil layers or clods) or as very loose soil (absence of even small crumbs, as for example in beach sand). Good structure results in easy passage of air and water, an ability to hold water and superior resistance to erosion. Perform this test at 5 cm depth and 20 cm depth.

## 7. DEPTH A-1 (ALSO KNOWN AS A-0, O1, O2) HORIZON



At the top of the soil profile is the 'O' horizon. 'O' stands for 'organic'. The 'O' horizon is primarily composed of organic matter in varying stages of decomposition. Fresh litter is found at the surface, while at depth all signs of vegetation structure have been destroyed. The decomposed organic matter, or humus, enriches the soil with nutrients, aids soil structure and enhances soil moisture retention.

Beneath the 'O' horizon is the 'A1' (also known as the A0, O1 or O2) horizon. In this horizon organic material starts to mix with the mineral soil. Measure the depth of the dark, nutrient-rich layer of the A1 (aka A0, O1, O2) horizon. This shows as a darkened, organic colouration to this area.

**Left: Soil horizon drawing adapted from USDA NRCS website.**

## 8. EARTHWORMS

Break up your entire soil block into crumbs and place any worms found into a jar. When done, count any worms that are longer than 25 mm, record on the sheet and return the worms to the hole.

Higher numbers of earthworms indicate conditions that are favourable (more organic matter, neutral pH, moist soil, low chemical residues). Mostly these are also conditions favourable for plant growth.

Note: Observation of earthworm tunnels could indicate temporary inactivity.

## 9. SOIL PH

Take two small samples of soil from the side of the hole, one from 10 cm and one from 20 cm depth. Test each sample for pH, following the instructions included in the kit. Excessive acidity has a strong effect on the ability of plants to take up soil nutrients as well as upon the wellbeing of soil organisms.

## 10. LEAF COLOUR

Examining your trees at the soil test site may reveal plant health problems not identified by the completed soil tests. Examine fully formed leaves about four leaves back from the growth tip. Young leaves at the tip are often naturally pale or bronze while old leaves nearer the stem may show mottling that is normal.

## SOME EXTRA (OPTIONAL) TESTS

### CALICO STRIP TEST FOR SOIL MICROBES

Microbes in the soil (bacteria, protozoans and fungi) play a major role in the break down of soil organic matter. Microbial activity can be estimated by measuring the rate of breakdown ('rotting') of calico. Cut unbleached and washed calico into 20 cm squares. Using a felt tip pen draw a line across the square 5 cm from one edge. Make a cut in the ground to a depth of 15 cm with the spade and, again using the spade, insert the calico so that the marked line coincides with the soil surface. Arrange the top 5 cm of calico vertically in the litter layer, if present. Use at least 5 calico strips at each test site and leave in place for three weeks. Gently retrieve and rinse in a kitchen sieve, to remove attached soil. Place over a piece of graph paper and estimate the percentage area of the calico that has completely decomposed. The more the calico has rotted away the healthier the community of soil organisms.

This test can also be done with soil in containers in a controlled atmosphere, i.e. the laundry room where moisture levels can be monitored.

### EROSION

Take a 50 cm length of 100 mm x 50 mm timber and place it on the ground, across the slope, near the bottom of a long incline. After each major rainfall event check the wood for build up of soil on the upper side.

Also see Soil Erosion Solutions fact sheet; Monitoring soil erosion  
<http://www.northern.cma.nsw.gov.au/pdf/monitoringerosion.pdf>

### AGGREGATE STABILITY

Equipment – a wide mouthed jar with a lid, marked to show 125 ml level.

Select three or four pea-sized soil aggregates from about 5 cm depth, avoiding small stones. Drop the aggregates into 125 ml water in the small wide mouthed jar and allow to stand for one minute. Observe if the aggregates break apart or stay intact. If they are intact after one minute, gently swirl the bottle several times and observe again. If they are still intact, swirl the bottle vigorously and check again. The aggregates of a healthy soil are normally more stable than those of a less healthy one. Poor aggregate stability is associated with greater susceptibility to erosion. Repeat the test with a sample from a depth of 20 cm.

### BIOTURBATION

Bioturbation is the mixing of surface organic matter into the soil profile by organisms. On the side of the hole dug at Test 5, observe the distribution of the darker soil colouration that is due to organic matter in the profile. Note the depth to which you can detect this darker soil and record on the back of your results sheet.

## SOIL HEALTH CARD RESULTS SHEET

Date: \_\_\_\_\_ Location / Management: \_\_\_\_\_ (draw a sketch map overleaf)

Soil Type: \_\_\_\_\_ Productivity: \_\_\_\_\_ Days since 20mm rain: \_\_\_\_\_ Soil moisture: dry / moist / water logged

TEST ▼	RESULT ►	POOR			FAIR			GOOD			TEST SCORES (1-9)					
		1	2	3	4	5	6	7	8	9	1	2	3	4	5	Av/Comments
1. GROUND COVER Plants or mulch	Less than 50% ground cover				50% to 75% ground cover		More than 75% ground cover									
2. DIVERSITY OF SOIL LIFE	Fewer than two types of soil animals				Two to five types of soil animals		More than five types of soil animals									
3. PENETROMETER • surface • 20 cm depth (from bottom of hole – after Test 5)	Wire probe will not penetrate				Penetrates with difficulty less than 20		Wire probe easily penetrates to 20 cm.									
4. INFILTRATION • surface • 20 cm depth (after Test 5)	More than 7 minutes				3 to 7 minutes		Less than 3 minutes									
5. ROOT DEVELOPMENT	Few fine roots only near the surface.				Some fine roots mostly near the surface.		Many fine roots throughout.									
6. SOIL STRUCTURE	Mostly clods or with surface crust, few crumbs				Some clods but also many 10 mm crumbs		Friable, readily breaks into 10 mm crumbs									
7. DEPTH 'A-1' HORIZON	0 to 1.9 cm				2 cm to 4.9 cm		5 or over									
8. EARTHWORMS	0 – 3				4 – 6		more than 6									
9. pH • 10 cm depth • 20 cm depth	pH 5 or lower				pH 5.0 to 5.5		pH 5.6 to pH 6.3									
10. Leaf Colour	Stunted plants, leaf discolouration				Some variation in growth and colour		Dark green glossy leaf colour & vigorous growth									

NB Numbers resulting from the different tests are not intended to be combined to give an overall value of soil health.

**SITE PLAN**

(Showing a permanent reference point, 5 sample points, soil type changes etc)



**TEST COMMENTS**

1.	
2.	
3.	
4.	
5.	
6.	
7.	
8.	
9.	
10.	

The Soil Health Card can be downloaded from the following websites:

[www.tuckombillandcare.org.au](http://www.tuckombillandcare.org.au)

[www.soilcare.org.au](http://www.soilcare.org.au)

[www.richmondlandcare.org](http://www.richmondlandcare.org)

## LOW TEST SCORES: SOME POSSIBLE CAUSES

TEST RESULT	SITUATION INDICATED	POSSIBLE CAUSES
1) Low ground cover	ground plants absent or growth is poor	unsuitable plant type(s), soil compaction, erosion, shading
2) Low variety of soil fauna	lack of habitat or food for fauna poor soil structure presence of harmful chemicals	sparse litter, low soil organic matter, lack of soil spaces and channels mortality from recent use of insecticides or regular use of cumulative chemical(s) such as copper
3) Low probe penetrability	soil is generally hard hard at the surface only hard layer at greater depth	compacted by traffic or by over-working, low soil organic matter compacted by traffic, especially if soil is wet at the time compacted by heavy vehicles or 'hard pan' formed by soil inverting cultivators
4) Slow water infiltration	high proportion of clay particles lack of spaces, channels or burrows in soil	naturally high clay content of soil type, possible loss of topsoil soil compaction, poor soil structure, lack of earthworms, surface crusting
5) Poor root development	hard soil lacking spaces poor plant nutrition root disease or attack	loss of topsoil, poor soil structure, soil compaction soil pH not suitable for crop, lack of major or minor nutrients presence of soil-borne pathogen, root-feeding nematodes or root-feeding insects
6) Poor soil structure	powdery soil, few crumbs excessive clods	lack of soil-binding substances and processes, low soil organic matter (sparse ground cover), few worms topsoil loss, soil compaction, low soil organic matter, excessive cultivation
7) Lack of depth of A1 (AO) horizon	low organic matter low population soil organisms	loss of topsoil, sparse ground cover (see 1) , copper toxicity low variety of soil fauna (see 2), few earthworms (see 6)
8) Low earthworm count	pH unfavourable poor food supply lack of soil spaces predators or parasites present presence of harmful chemical	soil pH naturally low, pH reduced by use of acidifying fertilisers sparse litter and/or ground cover (and roots), low organic content, low populations of fungi and bacteria loss of topsoil, soil compaction, poor structure predators (such as flatworms) and parasites (eg parasitic fly) may occur in 'plague' numbers mortality from recent use of insecticides or regular use of cumulative chemical(s) such as copper
9) Low pH	high level of acidity	10 cm: excess of nitrogen from inorganic fertilisers and legumes, poor drainage, low organic matter 20 cm: shallow top soil, unused N leached from above; if pH is less than 4 consider acid sulfate soil (grey clay/ sometimes yellow veins)
10) Poor leaf colour	unthrifty plant	soil problem as indicated in tests 1-9, one or more essential nutrients deficient or unavailable (confirm via soil or leaf analysis), low soil organic matter, disease/cercospora, water-logging

The Northern Rivers Soil Health Card for coffee growers was developed in a series of workshops with local farmers, facilitated by TAFE Wollongbar staff, NSW DPI staff, Richmond Landcare Inc staff and SoilCare Inc members. SoilCare Inc thanks all the people who, in their concern for soil health, volunteered their time and expertise to ensure the production of a card that would be useful and relevant for farmers.

**Coffee Industry Participants:**

- Jan Fadelli
- Cath Ford
- Rob Grant
- Lynne Kreutzer
- Paul McLisky
- Ian Mulligan
- Jos Webber

**Facilitators:**

- Dave Forrest, TAFE Wollongbar
- Abigail Jenkins, NSW DPI
- Jackie Luethi, Richmond Landcare Inc
- Bonnie Walker, SoilCare Inc

Cover Photo: L Kreutzer

**SOURCES FOR INFORMATION ON SOIL HEALTH:**

**NSW Department of Primary Industries** publications available from:

phone 1 800 028 374  
NSW DPI <http://www.agric.nsw.gov.au>

Ag-Facts/Ag-Notes

[http://www.dpi.nsw.gov.au/aboutus/resources/factsheets/agfacts\\_and\\_agnotes](http://www.dpi.nsw.gov.au/aboutus/resources/factsheets/agfacts_and_agnotes)

Prime Fact Notes

<http://www.dpi.nsw.gov.au/aboutus/resources/factsheets>

**TAFE Wollongbar**, Sneaths Road, Wollongbar, NSW 2478, phone (02) 6620 4200  
Contact the Agriculture Department (Block 'D') for information on soil classes and other agriculture courses.

Soil Health Cards can be downloaded from the following websites:

SoilCare Inc <http://www.soilcare.org.au>  
Tuckombil Landcare <http://tuckombillandcare.org.au>  
Richmond Landcare <http://richmondlandcare.org>

The most reliable sources of information on-line will be found at university and government sponsored web-sites. Suggested words and phrases for search engines: soil biota; soil organic matter; soil organic carbon; soil organisms; soil ecology; soil quality; soil health; soil fauna; earthworms; nutrient cycling.

**Disclaimers:** The information contained in this publication is based on knowledge and understanding at the time of writing (2007). However, because of advances in knowledge, users are reminded of the need to ensure that information on which they rely is up to date, and to check the currency of information with the appropriate officer of NSW DPI or the user's independent adviser.